

Dr. thesis Arild Palmstrøm:

## **RMi - a rock mass characterization system for rock engineering purposes**

University of Oslo, Norway; 1995

### TABLE OF CONTENTS

#### **Preface**

#### **Acknowledgement**

#### **Summary**

<b>1</b>	<b>Introduction</b> .....	1-1
1.1	Outline of this work .....	1-2
<b>2</b>	<b>Rock masses as construction materials</b> .....	2-1
2.1	Rocks and their main features .....	2-3
2.1.1	Fresh rocks .....	2-3
2.1.2	The influence from some minerals .....	2-4
2.1.3	The effect of alteration and weathering .....	2-5
2.1.4	Geological names and mechanical properties of rocks .....	2-6
2.2	Discontinuities in rock .....	2-6
2.2.1	Faults .....	2-7
2.2.2	Joints and their main features .....	2-8
2.2.3	The main jointing characteristics .....	2-9
2.2.4	The rock mass .....	2-10
2.3	Rock mass characterization for design and construction purposes .....	2-11
<b>3</b>	<b>Collection of geo-data - limitations and uncertainties</b> .....	3-1
3.1	Geo-data found before, during and after excavation .....	3-2
3.2	Some methods used in geo-data collection .....	3-4
3.2.1	Geological observations and mapping .....	3-5
3.2.2	Joint surveys .....	3-7
3.2.3	Core drilling .....	3-8
3.2.4	Geophysical measurements .....	3-10
3.2.5	Exploratory adits and shafts .....	3-10
3.2.6	Laboratory and field tests .....	3-10
3.3	Uncertainties and errors in geo-data collection .....	3-11
3.3.1	Uncertainties caused by spatial variability of rock masses .....	3-11
3.3.2	Measurement errors .....	3-12
3.3.3	Model uncertainties .....	3-14
3.4	Summary .....	3-14
<b>4</b>	<b>The combination of geo-data into a rock mass index</b> .....	4-1
4.1	The structure of a rock mass index .....	4-2
4.1.1	The input parameters selected .....	4-2
4.1.2	The Rock Mass index (RMi) .....	4-3
4.1.3	The combination of the input parameters .....	4-4
4.2	Calibration of RMi from known rock mass strength data .....	4-5
4.3	Numerical values of the input parameters to RMi .....	4-10
4.3.1	The compressive strength of intact rock ( $s_c$ ) .....	4-10
4.3.2	The block volume ( $V_b$ ) .....	4-11
4.3.3	The joint condition factor ( $j_c$ ) .....	4-12
4.4	Possible areas of application of the RMi .....	4-18
4.5	Discussion .....	4-19
4.5.1	Limitations of the RMi .....	4-19
4.5.2	Other similar rock mass characterization methods .....	4-20

<b>5</b>	<b>Rock masses characterized by the R<sub>Mi</sub></b> .....	5-1
5.1	On continuous and discontinuous rock masses .....	5-1
5.2	Zoning of the rock masses into structural regions .....	5-3
5.3	Principles in characterizing the variations in rock masses .....	5-4
5.3.1	Variations in the rock material .....	5-4
5.3.2	Variations in the jointing .....	5-5
5.3.3	Singularities and weakness zones.....	5-14
5.3.4	Summary of the possibilities and methods to determine the block volume or the jointing parameter where the jointing characteristics vary .....	5-16
<b>6</b>	<b>The use of R<sub>Mi</sub> in design of rock support for underground openings</b> .....	6-1
6.1	Stability analyses and rock support design.....	6-2
6.2	Instability and failure modes in underground excavations .....	6-3
6.2.1	Special modes of instability and behaviour related to weakness zones .....	6-5
6.2.2	Main types of failure development .....	6-6
6.3	The main features influencing underground stability .....	6-7
6.3.1	The inherent properties of the rock mass .....	6-8
6.3.2	The external ground features .....	6-9
6.3.3	The excavation features .....	6-10
6.3.4	The time-dependent features .....	6-12
6.3.5	Summary of Section 6.3 .....	6-13
6.4	R <sub>Mi</sub> applied to assess rock support.....	6-14
6.4.1	Stability and rock support in continuous materials.....	6-15
6.4.2	Stability and rock support in discontinuous (jointed) materials .....	6-29
6.4.3	Stability and rock support of faults and weakness zones .....	6-36
6.4.4	Comments to the R <sub>Mi</sub> method for assessing rock support .....	6-42
<b>7</b>	<b>R<sub>Mi</sub> parameters applied in prediction of tunnel boring penetration</b> .....	7-1
7.1	Factors influencing the TBM performance.....	7-2
7.2	Prediction models.....	7-2
7.2.1	The NTH prognosis model.....	7-3
7.3	The use of R <sub>Mi</sub> parameters to characterize rock masses for TBM.....	7-4
7.3.1	The rock material properties.....	7-4
7.3.2	The jointing features.....	7-6
7.3.3	Assessment of the net advance of boring .....	7-9
7.3.4	Example .....	7-11
7.3.5	Discussion of the R <sub>Mi</sub> method for TBM penetration assessment .....	7-12
<b>8</b>	<b>Possible other applications of the R<sub>Mi</sub> in rock mechanics and rock engineering</b> .....	8-1
8.1	Applying R <sub>Mi</sub> to determine the constants in the Hoek-Brown failure criterion .....	8-2
8.1.1	The original Hoek-Brown failure criterion.....	8-2
8.1.2	The modified Hoek-Brown failure criterion.....	8-4
8.2	R <sub>Mi</sub> used to evaluate shear strength of rock masses.....	8-5
8.3	R <sub>Mi</sub> used in the input to ground response curves .....	8-7
8.4	R <sub>Mi</sub> used for numerical ground characterization in the NATM .....	8-9
8.4.1	The use of R <sub>Mi</sub> in NATM classification.....	8-10
8.4.2	R <sub>Mi</sub> used for input to Fenner-Pacher ground response diagrams.....	8-12
8.5	The use of R <sub>Mi</sub> parameters in classification systems .....	8-15
8.5.1	Input to the RMR (Geomechanics) system .....	8-16
8.5.2	Input to the Q-system .....	8-17
8.5.3	Input to other classification systems .....	8-18
8.6	A contribution to improved communication.....	8-18
8.6.1	Identification chart for geologic materials.....	8-18
8.7	Possible use of R <sub>Mi</sub> in numerical models.....	8-22
<b>9</b>	<b>Discussion and conclusions</b> .....	9-1
9.1	On the layout of the R <sub>Mi</sub> system.....	9-1
9.1.1	Comparisons with the principles in other rock engineering systems .....	9-3
9.2	On the structure of the R <sub>Mi</sub> .....	9-4

9.3	On the input parameters to RMI .....	9-5
9.3.1	The uniaxial compressive strength of the rock.....	9-6
9.3.2	Jointing .....	9-6
9.4	On the variations and uncertainties in rock masses .....	9-7
9.5	Comparison between RMI and other methods used in rock engineering .....	9-8
9.5.1	The rock quality designation (RQD) .....	9-8
9.5.2	Rock support design systems .....	9-9
9.6	The need for a 'language' in rock mechanics and rock engineering .....	9-12
9.7	Benefits and limitations application of the RMI system .....	9-13
9.8	Some concluding remarks .....	9-14
9.8.1	Future developments.....	9-15
<b>10</b>	<b>References .....</b>	<b>10-1</b>

## APPENDICES

### **Appendix 1: On joints and jointing**

1	Joint characteristics.....	A1-3
2	Jointing characteristics.....	A1-5
2.1	Joint sets.....	A1-5
2.2	Joint spacing.....	A1-6
2.3	Jointing pattern and block types .....	A1-7
2.3.1	Block types and sizes .....	A1-8
3	Attitude of joints.....	A1-10
4	Development of jointing in various rock .....	A1-10
4.1	Jointing in igneous rocks.....	A1-11
4.2	Jointing in sedimentary rocks.....	A1-11
4.3	Jointing in metamorphic rocks .....	A1-12
5	Statistical distribution of joints .....	A1-12
6	Summary .....	A1-13

### **Appendix 2: On faults and weakness zones**

1	Zones of weak materials .....	A2-2
2	Faults and fracture zones .....	A2-3
2.1	Occurrence of faults and fractures .....	A2-6
2.2	Composition and structure of faults.....	A2-8
2.3	Gouge (filling materials) in faults.....	A2-8
2.4	Tension fracture zones .....	A2-9
2.5	Shear fault and fracture zones.....	A2-10
2.5.1	Coarse-fragmented crushed zones .....	A2-12
2.5.2	Small-fragmented crushed zones .....	A2-12
2.5.3	Sand-rich crushed zones.....	A2-12
2.5.4	Clay-rich crushed zones .....	A2-12
2.5.5	Foliation shear zones.....	A2-13
2.6	Altered faults.....	A2-14
2.6.1	Altered clay-rich zones.....	A2-14
2.6.2	Altered leached (crushed) zones.....	A2-15
3	Recrystallized and cemented/welded zones.....	A2-15
4	Description of weakness zones.....	A2-15
5	Summary .....	A2-17

### **Appendix 3: Methods to quantify the parameters applied in the RMI**

1	Methods to determine the uniaxial compressive strength of rocks .....	A3-2
1.1	The uniaxial compressive strength ( $s_c$ ).....	A3-3
1.2	Effect of saturation upon strength.....	A3-5
1.3	Compressive strength determined from the point-load strength .....	A3-7
1.3.1	The point load strength index ( $I_s$ ).....	A3-8
1.3.2	The correlation between $I_s$ and $s_c$ .....	A3-8

1.4	Compressive strength estimated from Schmidt hammer rebound number.....	A3-10
1.5	Compressive strength assessed from simple field test .....	A3-10
1.6	Compressive strength estimated from rock description.....	A3-11
1.6.1	Main geological characteristics.....	A3-11
1.6.2	Strength assessment from rock name.....	A3-12
1.6.3	Reduction in strength from anisotropy .....	A3-13
1.6.4	Reduction in strength from weathering and alteration.....	A3-17
1.7	Summary .....	A3-19
2	Methods to determine the joint condition factor (jC).....	A3-20
2.1	Estimating the joint roughness factor (jR).....	A3-21
2.1.1	Field measurement of large scale roughness.....	A3-21
2.1.2	The joint waviness factor (jw).....	A3-23
2.1.3	The joint smoothness factor (js).....	A3-25
2.1.4	The joint roughness factor found from jw and js.....	A3-25
2.2	Estimating the joint alteration factor (jA).....	A3-26
2.2.1	Clean joints.....	A3-27
2.2.2	Coated joints.....	A3-27
2.2.3	Filled joints.....	A3-27
2.2.4	Characterization and rating of the joint alteration factor (jA).....	A3-29
2.3	Estimating the ratio jR/jA from friction angle recordings.....	A3-30
2.4	The joint size and continuity factor (jL) .....	A3-33
2.5	Summary .....	A3-34
3	Methods to determine the block size .....	A3-36
3.1	Types of block volume and joint density measurements .....	A3-36
3.2	Block volume measurements.....	A3-38
3.2.1	Block volume found from joint spacings.....	A3-38
3.2.2	Block volume measured directly in situ or in drill cores.....	A3-39
3.2.3	Methods to find the equivalent block volume where joints do not delimit blocks.....	A3-39
3.3	Block diameter registrations .....	A3-41
3.4	Rock quality designation (RQD) .....	A3-42
3.4.1	Correlation between RQD and the volumetric joint count (Jv).....	A3-42
3.5	The volumetric joint count (Jv).....	A3-43
3.5.1	Block volume (Vb) estimated from the volumetric joint count (Jv).....	A3-44
3.6	Joint frequency measurements .....	A3-46
3.6.1	2-D frequency in an area or surface.....	A3-46
3.6.2	1-D frequency measurements along a scanline or drill core.....	A3-48
3.7	Joint spacing registrations.....	A3-49
3.8	Weighted joint density measurements (wJd) .....	A3-50
3.8.1	Correlation between wJd and Jv .....	A3-51
3.9	Use of refraction seismic measurements to assess block volume.....	A3-52
3.9.1	Influence from the intact rock and the in situ conditions.....	A3-52
3.9.2	Methods to assess the degree of jointing from in situ seismic velocities .....	A3-53
3.9.3	Possible errors and limitations applying seismic velocities for jointing assessments.....	A3-54
3.10	Summary of the correlations to determine the block size .....	A3-55
4	Methods to characterize the type and shape of rock blocks.....	A3-57
5	"Translation" of qualitative descriptions into numerical values .....	A3-60
5.1	Rock material characteristics .....	A3-61
5.2	Joint characteristics .....	A3-61
5.3	Block size or quantity of joints .....	A3-62
5.4	Faults and weakness zones.....	A3-63
5.5	Examples of numerical values found from qualitative descriptions.....	A3-63
5.5.1	Example 1 (from Gjøvik (underground) Stadium).....	A3-63
5.5.2	Example 2.....	A3-64
5.5.2	Example 3.....	A3-64

5.5.2 Example 4.....	A3-65
5.5.2 Example 5.....	A3-65
5.5.2 Example 6, description of a weakness zone.....	A3-64
5.6 Summary .....	A3-66
<b>Appendix 4: An investigation of the quality of various jointing measurements</b>	
1 Layout of the investigations performed.....	A4-1
2 Block shape measurement .....	A4-2
3 2-D and 1-D joint frequency registrations.....	A4-3
3.1 2-D frequency measurements.....	A4-3
3.2 1-D frequency measurements.....	A4-5
4 Weighted joint density measurements .....	A4-6
4.1 Surface observations .....	A4-7
4.2 Bore hole logging .....	A4-7
5 Calculations of block volume from simplified jointing measurements.....	A4-8
6 Rock quality designation (RQD) .....	A4-9
6.1 Connection between the RQD and the volumetric joint count ( $J_v$ ).....	A4-10
6.2 Connection between block volume and "block size" expressed as $RQD/J_n$ in the Q system.....	A4-11
7 Summary .....	A4-12
<b>Appendix 5: Using refraction seismic velocities to characterize jointing</b>	
1 Features influencing the magnitude of longitudinal sonic velocities.....	A5-2
1.1 Factors influencing the sonic velocities in intact rock .....	A5-2
1.2 The influence from in situ factors on measured sonic velocities .....	A5-5
2 Earlier methods used to characterize rock masses from seismic velocities .....	A5-6
2.1 Connections between jointing and longitudinal velocities.....	A5-7
2.2 Rock quality estimated from the seismic velocity ratio .....	A5-7
2.3 Correlations between seismic velocities and rock mass characteristics .....	A5-8
3 Methods for assessing the degree of jointing from in situ seismic velocities .....	A5-9
3.1 Alt. 1: Correlations between jointing and sonic velocity are not known.....	A5-10
3.2 Alt. 2: Two or more correlations exist between jointing and velocities .....	A5-11
3.3 Worked examples.....	A5-13
4 Summary .....	A5-15
<b>Appendix 6: Description of the tests and data used in the calibration of the RMI</b>	
1 Sample 1. Results from triaxial laboratory tests on Panguna andesite .....	A6-1
2 Sample 2. Large, compressive laboratory test on granitic rock from Stripa.....	A6-3
3 Sample 3. In situ tests on mine pillars of sandstone in the Laisvall mine.....	A6-5
4 Sample 4. Strength data found from back analysis of a slide in the Långsele mine .....	A6-8
5 Sample 5 - 7. Results from large-scale laboratory triaxial tests .....	A6-10
5.1 Sample 5. Caledonian clay-schist from Germany.....	A6-11
5.2 Sample 6. Mesozoic sandstone from Germany .....	A6-12
5.3 Sample 7. Palaeozoic siltstone from Germany .....	A6-13
<b>Appendix 7: Collected data on ground conditions and rock support in constructed underground openings</b>	
1 Description of the locations .....	A7-1
1.1 Gjøvik Olympic mountain hall, Norway.....	A7-1
1.2 Granfoss road tunnels, Oslo.....	A7-2
1.3 Haukrei hydropower plant, Telemark, Norway .....	A7-3
1.4 Vinstra hydropower plant, Norway.....	A7-5
1.5 Horga hydropower plant, Buskerud, Norway .....	A7-6
1.6 Tromsø road tunnel, Norway .....	A7-7
1.7 Nappstraumen road tunnel, Lofoten, Norway.....	A7-7
1.8 Stetind road tunnel, Nordland, Norway .....	A7-8
1.9 Njunis tunnel, Bardu, Norway.....	A7-8
1.10 Sumbiar road tunnel, The Faroe Islands .....	A7-9
1.11 Thingbæk chalk mines, Ålborg, Denmark .....	A7-10

2	Calculation of ground characteristics applied in the rock support tables .....	A7-11
---	--	-------

**Appendix 8: Collected data on ground condition and TBM boring performance**

1	Boring experience and ground condition at Svartisen Power plant .....	A8-1
1.1	Measured rock properties.....	A8-1
1.2	Rock mass description in tunnel locations.....	A8-3
2	Boring experience and ground condition at Meråker hydropower plant.....	A8-5
2.1	Observations at chainage 750 .....	A8-6
2.2	Observations at the brook intake, chainage 10020.....	A8-6

**Appendix 9: A method to estimate the tangential stresses around underground openings**

1	Estimating the magnitude of the in situ ground stresses .....	A9-1
2	The tangential stresses developed around an underground opening .....	A9-4
3	A practical method to estimate the magnitude of the tangential stresses.....	A9-6

**Appendix 10: Symbols used**

1	General.....	A10-1
2	Rock properties.....	A10-1
3	Jointing and block characteristics.....	A10-1
4	Stresses and related parameters.....	A10-2
5	Refraction seismic properties and features.....	A10-3
6	Rock mass properties and features .....	A10-3
6.1	Classification systems and parameters .....	A10-4
6.2	Parameters and features in the Rock Mass index (RMI) .....	A10-4
7	Parameters in the RMI rock support method.....	A10-4
8	Parameters and features in the RMI method for TBM penetration assessment method.....	A10-5