

ENGINEERING GEOLOGY AND ROCK ENGINEERING

HANDBOOK NO. 2

Norwegian Group for Rock Mechanics (NBG)
www.bergmekanikk.com

Prepared in co-operation with
Norwegian Tunnelling Society (NFF)

Issued in 2000

SECRETARIAT:
NORWEGIAN ROCK AND SOIL ENGINEERING ASSOCIATION
P.O. Box 2312, Solli
N-0201 Oslo, Norway
fax +47 22 94 75 02

TABLE OF CONTENTS

PREFACE

1. INTRODUCTION
 - 1.1 Relevant disciplines
 - 1.2 Rock masses and their use

2. GEOLOGY AND ROCKS
 - 2.1 Rock composition, grain size, and texture
 - 2.1.1 Minerals
 - 2.1.2 Texture
 - 2.2 Classification and formation of rocks
 - 2.2.1 Igneous rocks
 - 2.2.2 Sedimentary rocks
 - 2.2.3 Metamorphic rocks
 - 2.2.4 Engineering classification of rocks
 - 2.3 Strength of rocks
 - 2.3.1 The uniaxial compressive strength (σ_c)
 - 2.3.2 The point load strength (I_s)
 - 2.3.3 The correlation between I_s and σ_c
 - 2.3.4 Compressive strength estimated from The Schmidt hammer rebound number
 - 2.3.5 Rock strength estimated from simple field test
 - 2.3.6 Compressive strength estimated from rock description
 - 2.3.7 Effect of saturation upon strength
 - 2.4 Alteration and weathering of rocks
 - 2.5 Rock anisotropy and reduction of strength
 - 2.6 Deformation moduli and Poisson's ratio
 - 2.7 Some special features of rocks
 - 2.7.1 The significance of some minerals
 - 2.7.2 Durability of rocks
 - 2.7.3 Swelling and deterioration of rocks
 - 2.7.4 Drillability and blastability
 - 2.7.5 Various properties

3. DISCONTINUITIES
 - 3.1 Discontinuity classification
 - 3.2 Joint characteristics
 - 3.2.1 Definitions
 - 3.2.2 Main joint characteristics
 - 3.3 Jointing
 - 3.3.1 Joint sets
 - 3.3.2 Jointing pattern, blocks types and shapes
 - 3.3.3 Joint spacing and block size
 - 3.4 Methods to determine the degree of jointing
 - 3.4.1 The rock quality designation (RQD)
 - 3.4.2 The volumetric joint count (J_v)
 - 3.4.3 Block size
 - 3.4.4 Refraction seismics
 - 3.5 Weakness zones and faults
 - 3.5.1 Definitions
 - 3.5.2 Faults - occurrence and formation
 - 3.5.3 Filling materials and gouge
 - 3.5.4 Description of weakness zones

4. ROCK MASSES

- 4.1 Structure and composition
- 4.2 Continuous and discontinuous rock masses
- 4.3 The Hoek-Brown failure criterion for rock masses
 - 4.3.1 The original criterion
 - 4.3.2 The modified criterion
 - 4.3.3 The Geological Strength Index (GSI)
- 4.4 Properties of the rock mass
 - 4.4.1 Compressive strength
 - 4.4.2 Shear strength
 - 4.4.3 E-modulus
 - 4.4.4 Ground response to excavation works
- 4.5 Zoning of rock masses into geotechnical units
- 4.6 Description of rock masses

- 5. ROCK STRESSES
 - 5.1 Origin and magnitude of rock stresses
 - 5.1.1 Gravitational stresses
 - 5.1.2 Topographic stresses
 - 5.1.3 Tectonic stresses
 - 5.1.4 Residual stresses
 - 5.2 Stresses surrounding rock excavations
 - 5.2.1 Circular openings
 - 5.2.2 Non-circular openings/sharp corners
 - 5.2.3 Influence of the rock mass character
 - 5.2.4 A practical method to estimate the magnitude of the tangential stresses
 - 5.3 Stability problems in tunnels due to stresses
 - 5.3.1 Instability due to high compressive stress
 - 5.3.2 Instability due to tensile stress
 - 5.3.3 The significance of geological factors
 - 5.3.4 Estimating rock load on tunnel support
 - 5.4 Estimation of the effect of high stresses in brittle rocks
 - 5.5 Regional stress distribution

- 6. GROUND WATER AND LEAKAGE
 - 6.1 Hydraulic conductivity and permeability
 - 6.1.1 Conductivity of single joints
 - 6.1.2 Conductivity of rock masses
 - 6.2 Estimation of water leakage
 - 6.2.1 Basic flow theory
 - 6.2.2 Numerical modelling
 - 6.3 Problems caused by water
 - 6.3.1 Chemical reactions
 - 6.3.2 Water inflow during excavation and operation
 - 6.3.3 Norwegian experience
 - 6.4 Sealing of water leakage
 - 6.4.1 Practical procedure
 - 6.4.2 Grout materials
 - 6.4.3 Grout pressure/stop criteria

- 7. BASIS FOR PLANNING AND DESIGN
 - 7.1 Geotechnical classes and categories
 - 7.1.1 NS 3480
 - 7.1.2 Eurocode 7
 - 7.2 Design principles
 - 7.3 Supervision of design

- 8. INVESTIGATIONS AND TESTS
 - 8.1 Objective
 - 8.2 Investigation stages
 - 8.2.1 Pre-construction phase
 - 8.2.2 Construction phase investigations
 - 8.3 Field investigations and tests
 - 8.3.1 Approach

- 8.3.2 Desk study
- 8.3.3 Field mapping
- 8.3.4 Core drilling and logging
- 8.3.5 Geophysical investigation
- 8.3.6 Exploratory adits and shafts
- 8.3.7 Rock stress measurements
- 8.3.8 Ground water measurements
- 8.3.9 Other tests and measurements
- 8.3.10 Special requirements of investigations for sub-sea tunnels
- 8.3.11 Investigations performed during tunnel excavation
- 8.4 Laboratory testing
- 8.5 Uncertainties and errors

- 9. STABILITY AND ROCK SUPPORT OF UNDERGROUND OPENINGS
- 9.1 Instability and failure modes
 - 9.1.1 The time-dependent effects
 - 9.1.2 Effect of the shape of opening and excavation method
 - 9.1.3 Special behaviour related to faults and weakness zones
- 9.2 Rock support
 - 9.2.1 Scaling
 - 9.2.2 Rock bolts
 - 9.2.3 Shotcrete
 - 9.2.4 Cast-in-place concrete lining
 - 9.2.5 Other methods
 - 9.2.6 Special rock support solutions for TBM tunnels
 - 9.2.7 Costs and capacities
- 9.3 Methods to estimate rock support requirement
 - 9.3.1 The RMR (Geomechanics) system
 - 9.3.2 The Q-system
 - 9.3.3 The R_{Mi} method
 - 9.3.4 The new Austrian tunnelling method (NATM)
 - 9.3.5 Some comments on rock support charts
- 9.4 The Norwegian method of tunnelling (NMT)

- 10. STABILITY OF ROCK SLOPES
- 10.1 Classification of stability problems
- 10.2 Factors affecting the stability
- 10.3 Stability analysis
 - 10.3.1 Definition of potential problem
 - 10.3.2 Quantification of input-parameters
- 10.4 Calculation/evaluation
- 10.5 Consequences of erroneous input data

- 11. GROUND VIBRATIONS
- 11.1 Earthquake vibrations
 - 11.1.1 Origin and types of waves
 - 11.1.2 Earthquake intensity and magnitude
 - 11.1.3 Effects of earthquakes
 - 11.1.4 Principles of risk assessment, design and analysis
- 11.2 Blast vibrations
 - 11.2.1 Wave propagation
 - 11.2.2 Vibration acceptance criteria
 - 11.2.3 Remedial measures

- 12. NUMERICAL MODELLING
- 12.1 Definitions
- 12.2 Main principles of modelling
- 12.3 Input parameters, uncertainties of analysis
- 12.4 Some relevant computer programs
 - 12.4.1 Continuous models
 - 12.4.2 Discontinuous models

- 13. SYMBOLS

- 13.1 Graphical symbols
- 13.2 Technical symbols
 - 13.2.1 Symbols with Roman letters, capitals
 - 13.2.2 Symbols with Roman letters, lower case
 - 13.2.3 Symbols with Greek letters

- 14. TECHNICAL UNITS
 - 14.1 The SI units
 - 14.2 Decade prefixes
 - 14.3 The Greek alphabet
 - 14.4 Various units and conversions
 - 14.5 English and American units and their conversions

- 15. REFERENCES

- 16. DEFINITIONS OF TERMS

- 17. INDEX

- 18. MAIN INTERNATIONAL ORGANISATIONS AND STANDARDS
 - 18.1 International organisations
 - 18.1.1 International Society of Rock Mechanics (ISRM)
 - 18.1.2 International Association of Engineering Geology (IAEG)
 - 18.1.3 International tunnelling Association (ITA)
 - 18.2 Standards
 - 18.2.1 Norwegian Standards (NS)
 - 18.2.2 European Standards (CEN)
 - 18.2.3 Other National Standards

THE NORWEGIAN ROCK MECHANICS GROUP
THE NORWEGIAN TUNNELLING SOCIETY